



**CITY OF REDONDO BEACH
DEPARTMENT OF ENGINEERING AND BUILDING SERVICES**

ADDENDUM

Date: January 30, 2013

To: All Bidders

From: Acting City Engineer


**Subject: Addendum No. 1 – City Wide Curb Ramp Phase II Project, Job No. 40399
(Federal Hud B-12-MC-06-0528)**

The following changes to the contract documents for the above subject project shall be incorporated into the plans and specifications of said project and made part thereof:

**SHEET NO. T-1
INCLUDE DRAWING NO. ADD-1 TO THE PLANS AND
SPECIFICATIONS.**

Acknowledgment of this Addendum shall be executed and attached to your Bid Proposal form. Failure to do so shall result in your bid being rejected.

CITY OF REDONDO BEACH

By: 
Mazin Azzawi, Acting City Engineer

ACKNOWLEDGED


Bidder's Name: _____

Authorized Representative: _____ Date: _____

ST ANDREW'S PRESBYTERIAN CHURCH

PACIFIC COAST HIGHWAY

AVE D



CONSTRUCTION NOTES

SEE SPECIFICATIONS FOR APWA STANDARD PLANS REFERENCED BELOW.

① 4" THICK C2-PG-64-10 DGAC OVER 10" THICK CAB SLOT PAVING ADJACENT TO NEW CONSTRUCTION BORED BY PAVEMENT. TYPICAL WIDTH SHALL BE AS SHOWN ON THE PLANS.

② REMOVE EXISTING CONCRETE SIDEWALK INCLUDING SP ANDREL CURB AND GUTTER AND ASPHALT AND CONCRETE CURB AND GUTTER ASHALL PATCH PER APWA. A SUB-BASE COMPACTION TEST PERFORM PRIOR TO PLACING CONCRETE. CASE AND DIMENSIONS SHOWN ON PLANS.

③ INSTALL MINIMUM 3" X 4" CAST IN PLACE PREFABRICATED DETECTABLE WARNING (ARMOR-TILE" OR APPROVED EQUAL) COLOR TO BE DARK GRAY.

④ CONSTRUCT NEW 4" THICK SIDEWALK PER APWA STD AND DIMENSION SHOWN ON PLANS.

CONSTRUCTION LEGEND

- ☉ LIGHT POLE
- +○+ FIRE HYDRANT
- POWER POLE
- ┆ SIGN POLE

DRAWING NO. ADD-1

SCALE N.T.S.